

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1	"370".clas. and (indicat\$3 near10 register near20 inhibit\$3 near10 logic) .clm.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/06/09 11:26
L5	6	"370".clas. and (inhibit\$3 logic) .clm.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/06/09 11:30
L7	32	"370".clas. and (indicat\$3 register) .clm.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/06/09 11:36
L8	0	"370".clas. and (initializ\$3 near10 indicat\$3 register) .clm.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/06/09 11:39
L9	5	(initializ\$3 near10 indicat\$3 register) .clm.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/06/09 11:40
L11	79	(inhibit logic) .clm.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/06/09 11:43
S2	1	10/763,527	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/28 16:14
S5	2	"20040184476"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/28 16:15
S7	5	mrasek armin	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/28 16:28

S8	9	("5046039" "5386438" "5506747" "5524007" "5673416" "5796961" "5841722" "5915104" "6122717").PN.	US-PGPUB; USPAT; USOCR	ADJ	ON	2008/05/28 16:42
S9	9	("5046039" "5386438" "5506747" "5524007" "5673416" "5796961" "5841722" "5915104" "6122717").PN. OR ("7000058").URPN.	US-PGPUB; USPAT; USOCR	ADJ	ON	2008/05/28 16:43
S10	1	master near10 slave near10 ring near20 data near10 frame near20 initializ\$5	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/06/04 13:37
S11	4	initializ\$5 near20 master near10 slave near10 ring and data near10 frame	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/06/04 13:38
S12	2	initializ\$5 near20 master near10 slave near10 ring near20 address	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/06/04 13:55
S13	9	initializ\$5 near20 master near10 slave near10 ring	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/06/04 14:11
S14	10	initializ\$5 near20 (master or server) near10 (slave or client) near10 ring	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/06/04 14:13
S15	10	initializ\$5 near20 (master or server or host) near10 (slave or client) near10 ring	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/06/04 15:13
S16	179	(initializ\$5 or configur \$5) near20 (master or server or host) near10 (slave or client or interface) near10 ring	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/06/04 15:16

S18	22227	slave and ((inhibit\$3 or stop\$4) and indicat\$3)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/06/04 17:43
S19	16261	slave and (compar\$5 and (inhibit\$3 or stop \$4) and indicat\$3)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/06/04 17:44
S20	4855	slave and (comparator and (inhibit\$3 or stop \$4) and indicat\$3)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/06/04 17:45
S21	2202	slave and (comparator and inhibit\$3 and indicat\$3)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/06/04 17:45
S22	326	"370".clas. and slave and (comparator and inhibit\$3 and indicat \$3)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/06/04 17:46
S24	11	"370".clas. and (slave same (comparator and inhibit\$3 and indicat \$3))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/06/04 17:51
S25	232	"370".clas. and slave and comparator and inhibit\$3 and indicat\$3 and initializ\$5	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/06/04 18:11
S26	17	"5,051,985"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/06/05 07:50
S27	7	"6185217"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/06/05 15:35

S28	14	("4539678" "4615029" "4845709" "4982185" "5333299" "5361260" "5377228" "5907685" "6005869").PN. OR ("6185217").URPN.	US-PGPUB; USPAT; USOCR	ADJ	ON	2008/06/05 15:39
S29	1	"370".clas. and (slave same (inhibit\$3 logic))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/06/05 17:02
S30	6	"370".clas. and (slave and (inhibit\$3 logic))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/06/05 17:03
S31	9	370/389.ccls. and slave and comparator and inhibit\$3 and indicat\$3 and initializ\$5	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/06/05 17:29
S32	3	370/392.ccls. and slave and comparator and inhibit\$3 and indicat\$3 and initializ\$5	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/06/05 17:30
S33	0	326/38.ccls. and slave and comparator and inhibit\$3 and indicat\$3 and initializ\$5	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/06/05 17:30
S34	20	"327".clas. and slave and comparator and inhibit\$3 and indicat\$3 and initializ\$5	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/06/05 17:30
S35	3	"370".clas. and slave and comparator and inhibit\$3 and (indicator register) and initializ\$5	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/06/05 18:02
S36	150	"370".clas. and (slave same initializ\$5) and indicator	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/06/06 07:27

S37	5	"370".clas. and (slave same initializ\$5) and (indicator register)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/06/06 07:27
S38	7	"370".clas. and (slave same initializ\$5 same indicator)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/06/06 07:29
S39	44	"370".clas. and (slave same initializ\$5 same address) and indicator	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/06/06 07:51
S41	480	"370".clas. and (initializ\$5 near20 address near20 (slave or clint or interface or adapter or device))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/06/06 09:33
S43	18	"370".clas. and hdlc and (initializ\$5 near20 address near20 (slave or clint or interface or adapter or device))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/06/06 09:36
S44	4	370/403.ccls. and (initializ\$5 near20 address near20 (slave or clint or interface or adapter or device))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/06/06 09:46
S45	13	370/503.ccls. and (initializ\$5 near20 address near20 (slave or clint or interface or adapter or device))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/06/06 09:51
S46	4	375/356.ccls. and (initializ\$5 near20 address near20 (slave or clint or interface or adapter or device))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/06/06 10:04
S47	53	370/389.ccls. and (initializ\$5 near20 address near20 (slave or clint or interface or adapter or device))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/06/06 10:13
S48	39	370/392.ccls. and (initializ\$5 near20 address near20 (slave or clint or interface or adapter or device))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/06/06 10:29

S52	146	(master or slave\$1) same (ring\$1 or loop \$3) same (address or IP) with (filter\$3 or block\$3 or stop\$3 or inhibit)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/06/06 11:30
S53	13	(master or slave\$1) same (ring\$1 or loop \$3) same initializ\$5 same (address or IP) with (filter\$3 or block \$3 or stop\$3 or inhibit \$3)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/06/06 11:32
S54	28	slave\$1 same (ring\$1 or loop\$3) same (address or IP) with (filter\$3 or block\$3 or stop\$3 or inhibit)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/06/06 11:39
S55	37	slave\$1 same (ring\$1 or loop\$3) same initializ \$5 same (address or IP) same (filter\$3 or block\$3 or stop\$3 or inhibit)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/06/06 12:52
S56	3789583	configur\$5 or set\$3up or set\$3 adj up or provision\$3 or initializ \$5 with slave\$1 same (ring\$1 or loop\$3) same (address or IP)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/06/06 13:02
S57	105	(configur\$5 or set\$3up or set\$3 adj up or provision\$3 or initializ \$5) with slave\$1 same (ring\$1 or loop\$3) same (address or IP)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/06/06 13:03
S58	1	slave\$1 same (ring\$1 or loop\$3) same (address or IP) and (inhibit adj (logic or bit))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/06/06 14:54
S59	5	slave\$1 same (ring\$1 or loop\$3) and (address or IP) and (inhibit adj (logic or bit))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/06/06 14:56
S60	1286	slave near10 ring	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/06/06 15:05

S61	2	slave near10 ring near20 initializ\$5 near20 address\$3	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/06/06 15:06
S62	16	slave near10 ring near20 initializ\$5	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/06/06 15:07
S63	1	slave near10 ring near20 initializ\$5 and hdlc	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/06/06 15:16
S64	0	slave near10 ring near20 hdlc	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/06/06 15:17
S65	9	slave near10 ring and hdlc	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/06/06 15:17
S66	4	slave near10 ring and initializ\$5 and hdlc	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/06/06 15:23
S67	33	(master or slave) near10 ring and hdlc	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/06/06 15:32
S68	65	(master or slave) near10 initializ\$5 and ring and hdlc	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/06/06 15:32
S69	2	(master or slave) near10 initializ\$5 near20 ring and hdlc	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/06/06 15:34

6/ 9/ 2008 11:44:44 AM

C:\Documents and Settings\dgoel\My Documents\EAST\Workspaces\A10763527.wsp